



126



109



108




111




112



104



151




171




174



169




181



168




165




172



178




162



158




152



151


Dimensions: 3.0mm*2m*20m




312



304



308



351



371

Technical Date

Characterstics	Standard	Unit	Result
Type of flooring	ISO 10581-EN 649		GRAND WOOD VINYL FLOOR
Material			Polyvinyl chloride
Cover			PUR
Safety criteria			
Flammability	GB8624-2012	Class	B1
Slip resistance	DIN 51130	group	R9
Toxic and harmful	GB 18586-2001		Qualified
Impact sound reduction	ISO 10140 ISO 717-2	dB	4
Performance behaviour			
Sheet width	ISO 24341-EN 426	m	2
Sheet length	ISO 24341-EN 426	m	20
Overall thickness	ISO 24346-EN 428	mm	2.0/3.0
Weight	ISO 23997-EN 430	g/m ²	3000/4300
Abrasion group	EN 649	Class	T
Dimensional stability	ISO 23999-EN 434		X Transverse: <0.4% Y Portrait: <0.4%
Color fastness	ISO 105-B02	rating	≥6
Resistance to staining	EN 423		No Stain
Ressidual indentation	ISO 24343-1-EN 433	mm	0.03
Static electrical charge	EN 1815	Kv	≤2.0
Classification			
Commercial	ISO 10874-EN 685	Class	34 very heavy duty
Industrial	ISO 10874-EN 685	Class	43 heavy duty



ECOLOGY



FIRE-RETADED



WEAR-RESISTING



NON-SKID



RESILENCE



MOSITURE-STABLE



COMFORTABLE



EASY CLEANING



The sample is only for color selection purposes,
Please refer to the actual sample for accuracy.